

平成 29 年～平成 30 年 3 月
「生体分子コバレント修飾の革新的解析拠点形成」プロジェクト研究成果

研究室名 : 薬理学 研究室

【原著】

- Masuda K, Tsutsuki H, Kasamatsu S, Ida T, Takata T, Sugiura K, Nishida M, Watanabe Y, Sawa T, Akaike T, Ihara H. Involvement of nitric oxide/reactive oxygen species signaling via 8-nitro-cGMP formation in 1-methyl-4-phenylpyridinium ion-induced neurotoxicity in PC12 cells and rat cerebellar granule neurons. *Biochem Biophys Res Commun.* 2018, 495, 2165-2170. [\[PubMed\]](#)
- Akaike T, Ida T, Wei FY, Nishida M, Kumagai Y, Alam MM, Ihara H, Sawa T, Matsunaga T, Kasamatsu S, Nishimura A, Morita M, Tomizawa K, Nishimura A, Watanabe S, Inaba K, Shima H, Tanuma N, Jung M, Fujii S, Watanabe Y, Ohmuraya M, Nagy P, Feelisch M, Fukuto JM, Motohashi H. Cysteinyl-tRNA synthetase governs cysteine polysulfidation and mitochondrial bioenergetics. *Nat Commun.* 2017, 8, 1177. [\[PubMed\]](#)
- Wada K, Osuka K, Watanabe Y, Usuda N, Fukasawa M, Araki Y, Okamoto S, Wakabayashi T. Subarachnoid hemorrhage induces neuronal nitric oxide synthase phosphorylation at Ser1412 in the dentate gyrus of the rat brain. *Nitric Oxide.* 2017, S1089-8603, 30163-5, [\[PubMed\]](#)
- Osuka K, Watanabe Y, Usuda N, Aoyama M, Iwami K, Takeuchi M, Watabe T, Takayasu M. Expression of Caspase Signaling Components in the Outer Membranes of Chronic Subdural Hematomas. *J Neurotrauma.* 2017, 34, 3192-3197. [\[PubMed\]](#)
- Takata T, Ihara H, Hatano N, Tsuchiya Y, Akaike T, Watanabe Y. Reactive sulfur species inactivate Ca²⁺/calmodulin-dependent protein kinase IV via S-polysulfidation of its active-site cysteine residue. *Biochem J.* 2017, 474, 2547-2562. [\[PubMed\]](#)
- Osuka K, Watanabe Y, Usuda N, Aoyama M, Kawaguchi R, Takeuchi M, Takayasu M. Activation of Nuclear Factor-kappa B in Endothelial Cells of Chronic Subdural Hematoma Outer Membranes. *Neurosurgery.* 2017, 80, 571-578. [\[PubMed\]](#)
- Ihara H, Kitamura A, Kasamatsu S, Ida T, Kakihana Y, Tsutsuki H, Sawa T, Watanabe Y, Akaike T. Superoxide generation from nNOS splice variants and its potential involvement in redox signal regulation. *Biochem J.* 2017, 474, 1149-1162. [\[PubMed\]](#)

- Hanaoka K, Sasakura K, Suwanai Y, Toma-Fukai S, Shimamoto K, Takano Y, Shibuya N, Terai T, Komatsu T, Ueno T, Ogasawara Y, Tsuchiya Y, Watanabe Y, Kimura H, Wang C, Uchiyama M, Kojima H, Okabe T, Urano Y, Shimizu T, Nagano T. Discovery and Mechanistic Characterization of Selective Inhibitors of H₂S-producing Enzyme: 3-Mercaptopyruvate Sulfurtransferase (3MST) Targeting Active-site Cysteine Persulfide Sci. Rep. 2017 7, 40227. [\[PubMed\]](#)
- Abiko Y, Sha L, Shinkai Y, Unoki T, Luong NC, Tsuchiya Y, Watanabe Y, Hirose R, Akaike T, Kumagai Y. 1,4-Naphthoquinone activates the HSP90/HSF1 pathway through the S-arylation of HSP90 in A431 cells: Negative regulation of the redox signal transduction pathway by persulfides/polysulfides. Free Radic Biol Med. 2017, 104:118-128. [\[PubMed\]](#)
- Osuka K, Watanabe Y, Usuda N, Aoyama M, Iwami K, Takeuchi M, Watabe T, Takayasu M. Inhibitory Mechanism of the Outer Membrane Growth of Chronic Subdural Hematomas. J Neurotrauma. 2017, 34, 1996-2000. [\[PubMed\]](#)

【総説】

- 渡邊泰男、居原秀 活性イオウと NO シグナル、実験医学増刊 Vol. 36 No. 5 「レドックス疾患学」 (赤池孝章, 本橋ほづみ, 内田浩二, 末松 誠／編) 羊土社(東京) p. 656-662 (2018)